

LIST OF THE DESCRIBED GENERA AND SPECIES
OF THE AUSTRALIAN AND POLYNESIAN
PHASMIDÆ (SPECTRE-INSECTS).

By J. G. O. TEPPER, F.L.S., F.S.Sc., &c.

[Read October 21, 1902.]

1. MYRONIDES, Stål, Rev. Orth., III., p. 8, 1875.

(Type—*Lonchodes Pfeifferæ*, Westw., Cat. Orth., p. 44, pl. 5, f. 6.)

M. FILUM, Sharp, Willey's Zool. Results, 1897, p. 81, pl. 7, f. 1.

M. BINODES, Sharp, l.c., f. 2.

M. BITUBER, Sharp, l.c., p. 82.

M. SIMPLEX, Sharp, l.c., p. 83, f. 3.

M. SORDIDUS, Sharp, l.c., p. 83.

M. RAMULUS, Sharp, l.c., p. 83.

Hab.—New Britain.

2. LONCHODES, Gray, Syn. Phas.; Westwood, l.c., p. 36; Stål, l.c., p. 8, 66.

(Type—*L. geniculatus*, Westwood.)

L. NIGROPUNCTATUS, Kirby, Trans. Linn. Soc., Lond., VI., p. 453.

Hab.—Lizard Island (Queensland).

3. DIXIPPUS, Stål, l.c., p. 9, 66 (1875).

(Types—*Lonchodes nematodes*, Westw. (female), Cat. Phas., p. 421; and *Phasma (Bacteria) nodosum*, DeHaan (male), Orth., p. 133.)

D. (?) INSULARIS, Kirby, l.c., p. 460.

Hab.—Thursday Island (New Guinea).

4. HYRTACUS, Stål, Rev. Orth., p. 10.

(Type—*Bacteria entrachelia*, Westw., l.c., p. 32, pl. 34, f. 11).

H. TUBERCULATUS, Stål, l.c. (*B. entrachelia*, Westw.), p. 67.

Hab.—Western Australia.

5. BRACHYRTACUS, Sharp, Willey's Zool. Results, 1898.

B. CELATUS, Sharp, l.c., p. 84, pl. 7, f. 4.

Hab.—New Britain.

6. PACHYMORPHA, Gray, Syn. Phas.; Stål, l.c., p. 9 (*Phasma, Bacillus &c., auct.*).

P. SQUALIDA (Hope), Gray, l.c.; Westwood, Cat. Orth., p. 15, pl. 22, f. 4 (fem.).

Hab.—Australia.

P. (?) *SIMPLICIPES*, Serv.; Westwood, *l.c.*, p. 15.

Hab.—Australia.

P. *HISTRICULEA*, Westwood, *l.c.*, p. 16, pl. 1, f. 4 (fem.);
Hutton, Trans. N.Z. Inst., XXXI., p. 52.

Hab.—New Zealand.

P. *NOVÆGUINEÆ*, Kaup, Berl. Ent. Zeitschr., XI., p. 26 (1871).
Hab.—New Guinea.

P. *ANNULATA*, Hutton, Trans. N.Z. Inst., XXX., 1897, p. 162.
Hab.—New Zealand.

P. *SALEBROSA*, Hutton, *l.c.*, XXXI., p. 52.
Hab.—New Zealand.

P. *ACORNUTA*, Hutton, *l.c.*, p. 53.

7. CANDOVIA, Stål, *l.c.*, pp. 12, 70.

(Type—*Bacteria coenosa*, Gray (Hope MS.)).

C. *COENOSA*, Gray; Westwood, *l.c.*, p. 33, 71 (*B. tenuis*, Hope,
male; *B. coenosa*, female, *B. fragilis*, larva, Hope).

Hab.—North Australia.

8. PROMACHUS, Stål, Rev. Orth., p. 17.

P. *SORDIDUS*, Kirby, Trans. Linn. Soc. Lond., VI., p. 463,
pl. 40, f. 4.

Hab.—Thursday Island (N. Guinea).

9. PHIBALOSOMA, G. R. Gray, Syn. Phas.; Stål., *l.c.*, p. 28.

(*Cladoxerus*, Gray, male; *Cladomorphus*, Gray, female;
Xylocodus, Sauss., female).

The genus extends to India and South America.

P. *CAPRELLA*, Westwood, Cat. Phas., p. 76, pl. 21, f. 3 (male).
Hab.—Australia.

P. *DAVIDIS*, LeGuill.; Westw., *l.c.*, p. 77.
Hab.—Solomon Islands.

P. *BRITANNIÆ*, Wood-Mason, Journ. Asiat. Soc. Bengal,
XLVI., p. 75, 351. (*P. feejeeanus*, Westw.).

Hab.—New Britain.

P. *APOLLONIUS*, Westwood, *l.c.*, p. 181, pl. 40, f. 4 (female).
Hab.—Fiji Islands.

10. BACTERIA, Latr.; Stål, *l.c.*, p. 29.

Most of the species of this genus have been distributed
among other genera by Stål.

B. *FRENCHII*, Wood-Mason, Ann. Mag. Nat. History, Fourth
Series, vol. XX., 1878, p. 78.

Hab?—

11. BACTRIDIUM, Saussure, Mel. Orth., I., 1868-71, p. 125; Stål, *l.c.*, p. 30.
- B. COULONIANUM, Sauss., *l.c.*, p. 126, pl. 2, f. 8.
Hab.—? Australia (? Chili).
12. CLITARCHUS, Stål, Rev. Orth., III., p. 34, 82.
(*Bacteria*, *Bacillus*, *Acanthoderus*, &c., auct., pars.)
- C. HOOKERI, White, Zool. "Ereb. and Terr.", p. 24, pl. 6, f. 6; Westwood, Cat. Phas., p. 14; Hutton, Tr. N.Z. Inst., 1898, p. 54.
Hab.—New Zealand.
- C. COLOREUS, Colenso, Trans. N.Z. Inst., XVIII., p. 151; Hutton, *l.c.*, 54.
Hab.—New Zealand.
- C. LAEVISCUSCUS, Stål., *l.c.*, p. 82; Hutton, *l.c.*, p. 56.
Hab.—New Zealand.
- C. REDUCTUS, Hutton, Trans. N.Z. Inst., XXXI. (1898), p. 55.
13. ARGOSARCHUS, Hutton (*Clitarchus*), Trans. N.Z. Inst., XXX., 1897, p. 165; XXXI., 1898, p. 58.
- A. HORRIDUS, White, *l.c.*, p. 24, pl. 5, f. 4; Westwood, *l.c.*, p. 49; Hutton, *l.c.*, 58.
Hab.—New Zealand.
- A. GERHARDII, Kaup., Proc. Zool. Soc. Lond., 1866, p. 577.
Hab.—Southern Island, New Zealand.
- A. SYLVATICUS, Colenso, Trans. N.Z. Inst., XIV., 1882, p. 278.
Hab.—Hawke Bay, N.Z.
14. ACROPHYLLA, Gray, Ent. Austr.; Westwood, *l.c.*, p. 113; Stål., *l.c.*, p. 34.
(*Phasma*, *Diura*, *Cyphocrania*, *Ctenomorpha*, *Dairus*, *Lopaphus*, auct.)
- A. TITAN, Macleay, in King's Surv. Austr., II., 454; Westwood, *l.c.*, 114.
Hab.—Australia.
- A. BRIAREUS, Gray, Trans. Ent. Soc., I., p. 45; Westw., *l.c.*, 114.
- A. CHRONUS, Gray, Syn. Phas., p. 39; Ent. Austr., I., pl. 50, f. 2.; Westw., *l.c.*
Hab.—Australia.
- A. JAPETUS, Gray, Syn. Phas., p. 41; Ent. Austr., I., pl. 50, f. 1; Westwood, Cat. Phas., p. 114.
Hab.—Melville Island (N. Australia).
- A. OSIRIS, Gray, Trans. Ent. Soc., I., p. 46, Syn. Phas., p. 40 (= *spinicollis*, Gray); Westwood, *l.c.*, p. 115.
Hab.—North Australia.
- A. ACHERON, Gray, *l.c.*, p. 46, 40; Westwood, *l.c.*, 115.
Hab.—N. Australia.

- A. MACLEAYI, Gray, Syn. Phas., p. 41; Westwood, *l.c.*, 115.
Hab.—Australia.
- A. TESSELATA, Gray, *l.c.*, p. 44; Westwood, *l.c.*, 115.
Hab.—Queensland.
- A. SALMACIS, Westwood, *l.c.*, p. 116, pl. 37, f. 2.
Hab.—Northern Australia.
- A. VIOLASCENS, Leach, Zool. Mix., I., p. 9; Gray, Syn. Phas., p. 40; Ent. Austr., pl. 6., f. 1; pl. 7, f. 1 (*roseipennis*); Westwood, *l.c.*
Hab.—Queensland (Australia).
- A. MACROTEGMA, Tepper (*Lopaphus macrotegmus*, Tepper), Trans. Roy. S.A., IX., 1886, p. 112, pl. vi.
Hab.—South Australia.
- A. TASMANIENSIS, Lea, separate print, 1902.
Hab.—Tasmania.
15. ACANTHODYTA, Sharp, Willey's Zool. Results, 1898.
- A. SPINIVENTRIS, Sharp, *l.c.*, p. 85.
Hab.—Lifu, Fiji Islands.
16. CTENOMORPHA (G. R. Gray), Stål., Rev. Orth., p. 35.
- CT. NIGROVARIA, Stål, *l.c.*, III., p. 83.
Hab.—Cape York, Queensland.
- CT. ALBOPUNCTATUM, Kirby, Trans. Linn. Soc. Lond., VI., p. 472, pl. 39.
Hab.—Queensland.
17. CYPHOCRANIA, Serville, Enc. M. X., p. 445. Stål, *l.c.*, p. 35; Westwood, Cat. Orth., p. 106 (*Eurycnema*).
- C. REINWARDII, DeHaan, Orient. Orth., p. 130, pl. 10, f. 1 (male); Westwood, *l.c.*, p. 107.
Hab.—New Guinea.
- C. GOLIATH, Gray, Trans. Ent. Soc., I., p. 45; Syn. Phas., p. 39; *C. versirubra*, Serv., Orth., p. 235; Westw., *l.c.*, 107.
Hab.—Java; Timor; N. Guinea; N. Australia; Queensland.
- C. PASIMACHUS, Westwood, *l.c.*, p. 109, pl. 9, f. 5 (female).
Hab.—Australia.
- C. HERCULANEA, Charpentier, Orth. pl. i. (1841), female; *C. versifasciata*, Serv., male (?), H. N. Orth., p. 235; *Eur. aestuans*, Karsch., Ent. Nachr., XXIV., p. 365; *C. Hanitschi*, Sharp, Willey's Zool. Res., p. 89 (1898); Brunn., Mitth. Mus. Hamb., XV., p. 4.
Hab.—Java; North Australia.
18. OPHICRANIA, Kaup, Berl. Ent. Zeitschrift, 1871.
- O. STRIATICOLLIS, Kaup, *l.c.*, p. 38.
Hab.—Australia.

19. ANCHIALE, Sharp, Willey's Zool. Res., 1898.

(Cyphocrania maculata, auct., pars.)

- A. CONFUSA, Sharp., *l.c.*, p. 80; Westwood, Cat. Orth., p. 111
(nov. nom. pro *C. maculata*, West., pars.).

Hab.—Amboyna; Sandwich Islands.

- A. STOLLI, Sharp, *l.c.*, p. 89 (*C. maculata*, auct. p.).
Hab.—Lifu, Fiji Islands.

20.—CLEMACANTHA, Rainbow, Rec. Austr. Mus., III., 1897.

- C. REGALE, Rainbow, *l.c.*, p. 34, pl. 9 (possibly referable to
Cyphocrania herculanea, Sharp).

Hab.—New South Wales; Queensland.

21. VETILIA, Stål, Rev. Orth., III. (*Cyphocrania*, p.); Stål., *l.c.*, p. 36;
Westwood, *l.c.*.

- V. ENCELADUS, Westwood, *l.c.*, p. 108, pl. 39, f. 1, 2; Stål, *l.c.*,
p. 84.

Hab.—Australia.22. DIURA, Gray, *l.c.*; Stål, *l.c.*, p. 37.

- D. VIRGINEA, Stål, *l.c.*, p. 84 (male). Near *D. violascens*.
Hab.—Cape York, Queensland (N. Australia).

23. TROPIDODERUS, Gray, Syn. Phas., p. 31; Westwood, *l.c.*, p. 165;
Stål, *p. 38.*
(*Diura, Trigonoderus.*)

- T. CHILDRENI, Gray (female), *T. typhaeus*, Gray (male), Ent.
Austr., I., p. 26, pl. 3, f. 1; pl. 6, f. 2; Syn. Phas., pp. 31,
40; Westwood, *l.c.*, p. 165.

Hab.—N.E. Australia.

- T. IODOMUS, McCoy, Prod. Zool. Vict., pl. 69, 70, f. 2, 3.
Hab.—Victoria.

- T. RHODOMUS, McCoy, *l.c.*, fig. 1.
Hab.—South Australia; Victoria.

- T. DECIPIENS, Rainbow, Rec. Austr. Mus., III.
Hab.—New South Wales.

24. LYSICLES, Stål, Compt. Rend. Belg., XX., 1876.

- L. HIPPOLYTUS, Stål, *l.c.*, Esp. nouv. Phas., p. 65.
Hab.—Queensland.

25. PODACANTHUS, Gray, Ent. Austr.; Syn. Phasm.; Westwood, *l.c.*,
116; Stål, *l.c.*, p. 38.

- P. TYPHON, Gray, *l.c.*, p. 32, pl. 2, f. 1; *P. unicolor*, Charp.,
Orth., pl. 56; Westwood, *l.c.*, p. 117.

Hab.—New South Wales; Australia.

- P. VIRIDIROSEUS (Curt., M.S.), Gray, *l.c.*, p. 43; Westwood,
l.c., 117.

Hab.—Queensland; S. Australia.

P. WILKINSONI, Macleay, Proc. Linn. Soc. N.S.W., VI., pp. 536, 1882.

Hab.—New South Wales.

26. VASILISSA, Kirby, Trans. Linn. Soc. Lond., VI., p.

V. WALKERI, Kirby, *l.c.*, p. 489.

27. GIGANTOPHASMA, Sharp, Willey's Zool. Res., 1898.

G. BICOLOR, Sharp, *l.c.*, p. 87, pl. 7, f. 6.

Hab.—Lifu, Fiji Islands.

G. PALLIPES, Sharp, *l.c.*, p. 88, pl. 7, f. 5.

Hab.—Lifu, Fiji Islands.

28. EXTATOSOMA, Gray, Syn. Phas.; Ent. Austr.; Westwood, Cat. Orth., p. 170; Stål, Rev. Orth. III., p. 38.

E. TIARATUM, Macleay, King's Surv. Austr. App. II., p. 455, pl. B, f. 3, 4; Gray, *l.c.*, p. 29; I., pl. 8, f. 1, 2; Westwood, *l.c.*, p. 170.

Hab.—N.S. Wales (Australia); New Guinea; Tasmania.

E. BUFONIUM, Westwood, Thes. ent. Oxon., 1874, p. 174, pl. 32, f. 2.

Hab.—Australia.

29. GRÆFFEA, Brunn.; Stål, *l.c.*, p. 40 (*Lopaphus*, pars.; *Anophelepis*, pars.)

G. COCCOPHAGA (Gray), Westwood, *l.c.*, p. 99; *A. fulvescens*, Sauss., Mel. Orth. II., p. 117, pl. 2, f. 3, 4, 1869.

Hab.—Navigator Islands; Tonga; Fiji.

G. LIFUENSIS, Sharp, Willey's Zool. Res., 1898, p. 86, pl. 7, f. 21.

Hab.—Lifu, Fiji Islands.

30. NECROSCIA, Serville, H.N., Orth., p. 250; Westwood, *l.c.*, p. 128; *l.c.*, p. 41.

N. ARUANA, Westw., *l.c.*, p. 134, pl. 39, f. 4.

Hab.—Aru Islands (N. Guinea).

N. CARTERUS, Westw., *l.c.*, p. 138, pl. 15, f. 5.

Hab.—Australia.

N. SARPEDON, Westw., *l.c.*, p. 138, pl. 32, f. 5; pl. 16, f. 1.

Hab.—Northern Australia.

N. CURTIPIES, Westwood, Cat. Orth., p. 143.

Hab.—Prince of Wales Island (N. Guinea).

N. ANNULIPES (Curt. MS.), Gray, Syn. Phas., p. 37 (*Platycrania*); Westw., *l.c.*, p. 150.

Hab.—India, &c.; Australia.

N. PAPUANA, Branscik, Jahrb. nat. wiss. Ver., Trencs., XXXI., pl. 2, fig. 9.

Hab.—New Guinea.

N. DISTINCTA, Branscik, *l.c.*

Hab.—New Guinea.

31. MEGACRANIA, Kaup, Berl. Ent. Zeitschr., XI.
(Platycrania, Westw.).
- M. PHELAUS, Westw., Cat. Orth., p. 113, pl. 27, f. 5.
 New genus for this species as a type.
Hab.—Fiji Islands.
32. LOPAPHUS, Westwood, l.c., p. 99.
Orxines, Stål, Rev. Orth. III.. p. 43.
- L. GORGUS, Westwood, l.c., p. 102, pl. 11, f. 4.
Hab.—New South Wales.
33. ANOPHELEPIS, Westwood, l.c., p. 68.
Græffea (Brunn.), Stål. (pars.), p. 40, 84.
- A. TELEPHORUS, Westw., l.c., p. 49, pl. 8, f. 3, 7.
Hab.—Western Australia.
- A. PERIPHANES, Westw., l.c., p. 100, pl. 8, f. 2.
Hab.—Australia.
- A. RHIPHEUS, Westw., l.c., p. 100, pl. 8, f. 10.
Hab.—Western Australia.
34. CHONDROSTETHUS, Kirby, Trans. Linn. Soc. Lond., VI., p. 472
 (for *Thrasylus*, Stål, Orth. Ins. Phil., p. 41).
- CH. WOODFORDI, Kirby, l.c., p. 455. pl. 39, f. 1, 2.
Hab.—Solomon Islands.
35. HERMARCHUS, Stål, Rev. Orth. III., p. 45, 89.
(Phibalosoma, Westw., l.c., pars.)
- H. PYTHONIUS, Westwood, l.c., p. 73, pl. 35, f. 3 ; pl. 12, f. 1.
Hab.—Fiji Islands.
36. ASPRENAS, Stål, l.c., p. 45.
- A. FEMORATUS, Stål., l.c., p. 89.
Hab.—New Caledonia.
37. NEANTHES, Stål, l.c., p. 45.
- N. BRUNNERI, Stål, l.c., p. 90.
Hab.—New Caledonia.
- NOTE.—This genus and species is stated by Brunner (Rev. Syst. Orth., 1893, p. 83) to represent the female of the preceding.
38. KARABIDION, Montrouzier (*Eurycantha*, p.), Ann. Sc. Lyon, ser. 2, VII., p. 81 ; Stål, l.c., p. 46, 90.
- K. AUSTRALIS, Mont., l.c., p. 86 ; Westw., l.c., p. 65, pl. 1,
 f. 1, 2.
Hab.—Lord Howe's Island.
39. EURYCANTHA, Boisd., Voy. Astrolabe, Zool. Ent.; Westwood
 Cat. Orth., p. 62 : Stål, Rev. Orth., III., p. 46.
- E. HORRIDA, Boisd., l.c., p. 647, pl. 10, f. 2 ; Westw., l.c., p. 63.
Hab.—Dorei, N. Britain ; Woodlark Is. (N. Guinea).

- E. TYRRHAEUS, Westw., *l.c.*, p. 64, pl. 2, f. 1.
Hab.—New Hebrides; Loyalty Islands.
- E. MICRANTHA, Montr., Ann. Sc. Lyon, ser. 2, VII., p. 85; Westw., *l.c.*, p. 64.
Hab.—Woodlark Island (N. Guinea).
- E. SCORPIONIDES, Monr., *l.c.*, suppl., p. 85; Westw., *l.c.*, p. 64.
Hab.—Woodlark Island.
- E. ROSENBERGI, Kaup, Berl. Ent. Zeitschr., XI., p. 34 (1871).
Hab.—New Guinea.
- E. ECHINATA, Lucas, Bull. Soc. Ent. France, VIII., p. 163 (1878).
Hab.—New Guinea.
40. CANACHUS, Stål, *l.c.*, p. 47.
- C. CROCODILUS, Stål, *l.c.*, p. 90.
Hab.—New Caledonia.
- C. SALAMANDRA, Stål, *l.c.*, p. 91.
Hab.—New Caledonia.
41. DIMORPHODES, Westwood, *l.c.*, p. 80.
- D. PROSTASIS, Westw., *l.c.*, p. 81, pl. 34, f. 4, 5.
Hab.—Aru Islands (New Guinea).
42. HETEROPTERYX, Gray, Syn. Phas.; Westw., Cat. Orth., p. 81; Stål, Rev. Orth., III., p. 48.
- H. AUSTRALIS, Kirby, Trans. Linn. Soc. Lond., VI., p. 472.
Hab.—Australia.
43. ACANTHODERUS, G.R. Gray, Syn. Phas.; Westwood, Cat. Orth., p. 48; Stål, Rev. Orth., III., p. 49.
(Phasma, Bacteria, Raphiderus, Clitarchus, Sect. B., Hutton).
- A. SPINOSUS, Gray, *l.c.*, p. 14; Westw., *l.c.*, p. 48.
Hab.—Western Australia.
- A. SPINIGER, White, Voy. "Er. and Terr." p. 24; Westw., *l.c.*, p. 48; Hutton, Trans. N.Z. Inst., XXX, 1897, p. 164.
Hab.—New Zealand (North Island?).
- A. OCCIPITALIS, Kaup, Berl. Ent. Zeitschr., XI., 1871, p. 31.
Hab.—Celebes, New Guinea.
- A. ATRO-ARTICULATUS, Colenso, Trans. N.Z. Inst., XVII., p. 154; Hutton, *ibid.*, XXX, p. 164.
Hab.—New Zealand.
- A. PRASINUS, Westw., *l.c.*, p. 49, pl. 3, f. 2; Hutton, *l.c.*, p. 164.
Hab.—New Zealand (North and South Island).
- A. FILIFORMIS, Colenso, *l.c.*, p. 153; Hutton, *l.c.*, p. 164.
Hab.—New Zealand (Hawke Bay).
- A. GEISOVII, Kaup, Proc. Zool. Soc. Lond., 1866, p. 578; Hutton, *l.c.*, p. 165.
Hab.—New Zealand (Great Barrier Is., Canterbury).

A. SUTERI, Hutton, *l.c.*, XXXI, p. 56 (1898).

Hab.—New Zealand (Wanganui, N. Island).

A. FASCIATUS, Hutton, *l.c.*, p. 58.

Hab.—Great Barrier Is., N. Zealand.

44. PYLEMENES, Stål., Rev. Orth., III., p. 51.

(*Acanthoderus*, West., pars.)

P. CORONATUS, DeHaan, Orth. Orient., p. 134, pl. 14, f. 4, 5; Westwood, Cat. Orth., p. 51; Stål., *l.c.*, p. 93.

Hab.—Amboyna, Ceram, Australia.

45. METRIOTES, Westwood, *l.c.*, p. 158; Stål., *l.c.*, p. 60.

(*Platycrania*, Gray, pars.)

M. AGATHOCLES, Stål., *l.c.*, p. 100.

Hab.—(?) Australia.

46. PRISOPUS, Stål., *l.c.*, p. 60.

(*Xeroderus*, Gray; Westwood, *l.c.*, 102)

P. KIRBYI, Gray, Syn. Phas., p. 32; Westw., *l.c.*, pl. 31, f. 6, 7.
Hab.—Australia.

47. LEOSTHENES, Stål., *l.c.*, p. 60.

L. AQUATILIS, Stål., *l.c.*, p. 102.

Hab.—New Caledonia.

48. BACILLUS, Latreille; Westw., *l.c.*, p. 3; Stål., *l.c.*, 61.

B. BEECHEYI, Gray, Syn. Phas., p. 21; Burmeister, Handb., II' p. 562; Westwood, *l.c.*, p. 12.

Hab.—Sandwich Islands (Hawaii).

B. BRUNNEUS, *l.c.*; Ent. Austr., pl. 7, f. 3.

Hab.—Western Australia.

B. AUSTRALIS, Charp., Orth. descr., p. 57; Westw., *l.c.*, p. 12.
Hab.—Australia

B. DOLOMEDES, Westw., Cat. Orth. Ins., p. 13, pl. 5, f. 4.
Hab.—Australia.

B. PERISTHENES, Westw., *l.c.*, p. 13, pl. 7, f. 1; pl. 8, f. 2.
Hab.—Australia.

B. PERIDROMES, Westw., *l.c.*, p. 13, pl. 8, f. 2b, 2c.
Hab.—Australia.

B. MINIMUS, Colenso, Trans. N.Z. Institute, XVII., p. 185.
Hab.—(?) New Zealand.

49. CACOMORPHA, Sharp, Willey's Zool. Res., 1898.

C. ABERRANS, Sharp, *l.c.*, p. 91, pl. 8, f. 12.

Hab.—Lifu, Fiji Islands.

50. PHYLLIUM, Illiger, &c ; Westwood, *l.c.*, p. 171; Stål, *l.c.*, p. 104.

(*Gryllus, Mantis, Phasma, Pteropus.*)

PH. SICCIFOLIUM, Linn., &c., Cuvier, Reg. An., pl. 79; Westwood, *l.c.*, p. 172.

Hab.—India, Java, Timor, N. Guinea.

PH. GERYON, Gray, in Zoologist, 1843, I., 118; DeHaan, Orth. Orient., pl. 15, f. 7.

Hab.—Philippine Is.; (?) New Caledonia (Mus Adel.).

51. CHITONISCUS, Stål, *l.c.*, p. 62.

(*Phyllium*, Westw., p.)

CH LOBIVENTRIS, Blanch., in d'Urville, Zool. Voy. Pole Sud, IV., p. 359, pl. 50, f. 9; Westw., *l.c.*, p. 174, pl. 39, f. 5.

Hab.—Levuka, Ovalau, Fiji Islands.

CH FEEJEEANUS, Sharp, Willey's Zool. Results, 1898, p. 87, pl. 8, f. 14.

Hab.—Fiji Islands.

ALPHABETICAL INDEX OF GENERA.

	No.		No.		
Acanthoderes	...	43	Græffea	29
Acanthodyta	...	15	Hermarchus	35
Aerophylla	14	Heteropteryx	42
Anchiale	19	Hyrtacus	4
Anophelepis	...	33	Karabidion...	38
Argosarchus	...	13	Leosthenes	47
Asprenas	36	Lonchodes	2
Bacillus	48	Lopaphus (<i>Orxines</i>)	32
Bacteria	10	Lysicles	24
Bactridium	11	Megacrania...	31
Brachyrtacus	...	5	Metriotes	45
Cacomorpha	...	49	Myronides	1
Canachus	49	Neantnes	37
Candovia	7	Necroscia	30
Chitoniscus...	...	51	Ophicrania	18
Chondrostethus	...	34	Pachymorpha	6
Clemacantha	...	20	Phibalosoma	9
Clitarctus	12	Phyllum	50
Ctenomorpha	...	16	Podacanthus	25
Cyphocrania	...	17	Prisopus	46
Dimorphodes	...	41	Promachus	8
Diura	22	Pylæmenes	44
Dixippus	3	Tropidoderus	23
Eurycantha	...	39	Vasilissa	26
Extatosoma	...	28	Vetilia	21
Gigantophasma	...	27			